







## Smart D70iD+

ID Pictures in seconds





### New Smart D70iD+ system - ID pictures in seconds

Mitsubishi Electric Europe expands the line up of Printing Solutions with and Advanced Photo ID platform that provides retailers and independent business the ideal solution for printing ID or passport photos.

# Main features // CamFI® and FTP connectivity // Biometric face recognition // Less than 40 secs. per print // Multi-lenguage system // Over 40 country templates



#### Sources

From several sources, the software can turn the captured image into a perfect ID photo.









SD card

\*Wireless connection

#### Outputs

#### **Multiple outputs**

The customer has the possibility to have their printed picture saved to USB storage or sent by email from the Smart D70iD+ system.

#### Multi-language system

#### **Available languages**

English, Español, Deutsch, Français (Belgium), Français (France), Italiano, Português, Dutch, Svenska, Suomi.





#### Smart processing

The software will check each selected country template for different required parameters.

#### 100% biometrical approval

Automatic face recognition and fitting in the marked area.





#### Easy background removal

Change the background color in one touch, choosing between different colors.





#### Image enhancement

The possible defects are automatically corrected without affecting the picture's quality.





#### **Product Specifications**

#### Smart D70iD+



SmartD70ID+ is composed by:
// 1 x SmartIDPLUS System

// 1 x CP-D70DW-U Printer

#### SmartIDPLUS

Processor and Computer	Intel NUC6CAYH 1Tb HDD 2Gb RAM
Operating System	CentOS 7 Linux
Screen	Multi-touch 10p 10.1" 1024x720
Dimensions WxDxH (cm)	27.5 x 30.5 x 34 (SmartIDPLUS, no printer included) 27.5 / 55 / 40.5 (SmartD70ID+, printer included)
Weight	6.5kg approx. (14.3lb.)
Power	AC 100-240v 6.67A with external adapter 12v (included)
External Ports	3 x USB / 1 x LAN (RJ45)
Compatible Photo Printers	CP-D70DW-U

#### CP-D70DW-U

	System Compatibility	Compatible only with ID Photo Printing systems from Mitsubishi Electric
	Printing Method	Dye sublimation thermal transfer full color. Three-color face progressive printing (yellow, magenta, cyan) plus surface lamination
	Print Options	Single-sided Prints
	Memory Capacity	32MB – Data transfer is possible during printing
	Print Capacity	Up to 400 prints 10x15cm (4x6")
	Media	CK-746U
	Resolution	300 dpi
	Weight	12kg (26.5lb.)
MAY19	Dimensions WxDxH (mm)	275 x 446 x 170
DEN19_P	Foot Print	0.12 m²
11VIS70IDEN19_MAY19	Power Consumption	2.4A (220-240VAC, 50/60Hz.) / 4.6A (120VAC, 50/60Hz.)

Specifications are subject to change without notice.



